

Four new species of the Endogonaceae (Zygomycotina) from Poland

JANUSZ BŁASZKOWSKI

BŁASZKOWSKI, J. 1988: Four new species of the Endogonaceae (Zygomycotina) from Poland. — Karstenia 27: 37–42.

Four new species of vesicular-arbuscular mycorrhizal fungi from Poland, *Glomus dominikii* Błaszk., *Acaulospora polonica* Błaszk., *A. gedanensis* Błaszk., and *A. thomii* Błaszk. are described.

Janusz Błaszkowski, Department of Plant Pathology, Academy of Agriculture, Słoneckiego 17, PL-71434 Szczecin, Poland

Introduction

The Endogonaceae are hardly known in Poland. Only one species, *Glomus macrocarpum* Tul. & Tul., has been reported there (Ławrynowicz 1979). During the last four years I have studied the occurrence of endomycorrhizal fungi. Among the isolated species there are many which have been described earlier (Błaszkowski 1988). However, in 1985 and 1986 I collected specimens that differ from any known species. Their descriptions are presented below.

Material and methods

Soil samples collected from the rhizosphere of various plants were investigated. Spores were extracted by a wet-sieving and filtration technique (Koske & Walker 1984). Spores were then mounted on microscope slides in polyvinyl alcohol lactophenol (Walker 1979), lactophenol, and Melzer's reagent. Wall descriptions and terminology are according to Walker (1983, 1985). A pot culture (Gilmore 1968) was used to indicate the type of mycorrhizae. Roots were stained after Phillips and Hayman (1970). All collections were made by the author. The holotype and other specimens are deposited in the Department of Plant Pathology (DPP), Academy of Agriculture, Szczecin, Poland.

Glomus dominikii Błaszkowski n. sp.

— Figs. 1, 9

Chlamydospores in solo efformatae, albae, luteolae

*vel luteae, globosae vel subglobosae, (75–) 107 (–165) µm diam, raro ovoideae, 100 x 150 µm, cum ornamento. Sporae tunica e stratis tribus; exteriore hyalino, rigido, (1.7–) 3 (–3.7) µm crasso, cum verrucis exiguis, 1.7–5.7 x 0.7–1.9 µm; secundo hyalino, membranaceo, (0.2–) 0.7 (–1.2) µm crasso; interiore hyalino, membranaceo, (1.2–) 1.8 (–2.5) µm crasso. Hypha hyalina, 180–220 µm longa, (6.4–) 8.7 (–12.5) µm diam. — Holotype: Poland. Szczecin voiv., Kołbacz, under *Trifolium pratense* L., 10.VII.1985 J. Błaszkowski 256 (DPP). I have named this species in honour of Prof. T. Dominik, a long-time student of mycorrhizae in Poland.*

Chlamydospores. Borne singly in the soil, white, slightly pink when immersed in water, becoming light yellow to orange-yellow with age, ornamented, globose to subglobose, (75–) 107 (–165) µm in diam, rarely ovoid, 100 x 150 µm, with a single subtending hypha.

Spore wall structure. Of three layers (layers 1–3) in two groups (groups A, B). Group A, of a hyaline, unit, (1.7–) 3 (–3.7) µm thick outer layer (layer 1), ornamented with fine warts, 1.7–5.7 x 0.7–1.9 µm. Group B, of a hyaline, smooth, membranous, (0.2–) 0.7 (–1.2) µm thick layer (layer 2), tightly adhering to a hyaline, smooth, membranous, (1.2–) 1.8 (–2.5) µm thick innermost layer (layer 3).

Subtending hypha. Hyaline, straight or slightly

recurvate, 180–220 µm long, (6.4–) 8.7 (–12.5) µm wide, with walls (1.2–) 1.5 (–1.9) µm thick at the spore base, without a septum; usually slightly constricted at the attachment.

The wall 1 turns yellow, wall 2 is not reacting, and wall 3 stains red or orange-red in Melzer's reagent. Differs from *G. scintillans* Rose & Trappe (Rose & Trappe 1980) in the colour and size of the spores, by having a thinner middle layer, and by staining in Melzer's reagent.

Mycorrhizal associations. Unknown.

Material examined

Poland. Szczecin voiv.: Kołbacz, under *Trifolium pratense*, 10.VII.1985 J. Błaszkowski 256–260. Prusinowo, under *Fragaria vesca*, 5.VIII.1985 J. Błaszkowski 266–268. Czciradz, under *T. pratense*, 27.VIII.1985 J. Błaszkowski 271–280. Nowogard, under *Lupinus luteus*, 5.VIII.1985 J. Błaszkowski 281–285. Kamień Pomorski, under *Pisum arvense*, 25.VII.1985 J. Błaszkowski 286. Brzozowo, under *Triticum vulgare*, 25.VII.1985 J. Błaszkowski 287. Przybierów, under *Secale cereale*, 25.VII.1985 J. Błaszkowski 288. Trzebiatów, under *Allium porrum*, 5.VIII.1985 J. Błaszkowski 289. Gdańsk voiv., Chynów, under *Avena sativa*, 20.VII.1985 J. Błaszkowski 261–265. Zielona Góra voiv., Lasocin, under *Zea mays*, 27.VIII.1985 J. Błaszkowski 269–270. Zamość voiv., Zwierzyniec, under *Festuca rubra*, 18.X.1986 J. Błaszkowski 290–291.

Acaulospora polonica Błaszkowski n. sp.

— Figs. 2, 9

Azygosporae singulares in solo efformatae, sessiles; terminacione inflata globosa vel subglobosa, 60–90 µm diam; hypha interjacens spora et terminacionis 40–70 µm. Sporae hyalinæ, albidae, globosæ vel subglobosæ, (80–) 94 (–115) µm diam, raro ovoidæ, 115 × 80 µm. Sporae tunica e stratis quattuor; exteriore hyalino, rigido, (1.5–) 1.9 (–2.3) µm crasso; secundo hyalino, membranaceo, ad 0.5 µm crassum; tertio et quarto hyalino, membranaceo, (0.5–) 0.8 (–1) µm crasso. — Holotype: Poland. Gdańsk voiv., Hel, about 200 m from the Baltic Sea, under *Thuja occidentalis* L., 21.VIII.1985 J. Błaszkowski 95 (DPP). I have named this species referring to the country in which it was first noted.

Azygospores. Borne singly in the soil, hyaline, whitish, smooth, globose to subglobose, (80–) 94 (–115) µm in diam, rarely ovoid, 115 × 80 µm, sessile on a hypha tapering to a globose to subglobose swollen hyphal terminus, 60–90 µm in diam; hyphal terminus contents hyaline; terminus wall 0.7–1 µm thick; distance between the hyphal terminus and the spore 40–70 µm; hyphae at the point of the spore attachment 8–12.5 µm in diam; in maturity the terminus empties and collapses.

Spore wall structure. Of four layers (layers 1–4) in three groups (groups A, B, C). Group A, of a hyaline, unit, (1.5–) 1.9 (–2.3) µm thick outer layer (layer 1). Group B, of a hyaline, membranous, up to 0.5 µm thick layer (layer 2). Group C, of two hyaline, membranous, (0.5–) 0.8 (–1) µm thick, adhering layers (layers 3, 4).

Spores filled with hyaline droplets, and not reacting in Melzer's reagent. Four species of *Acaulospora*, *A. trappei* Ames & Lind. (Ames & Linderman 1976), *A. delicata* Walker, Pfeiffer & Bloss (Walker et al. 1986), *A. nicolsonii* Walker, Reed & Sanders (Walker et al. 1984), and *A. longula* Spain & Schenck (Schenck et al. 1984) produce hyaline or subhyaline spores that could be confused with those of *A. polonica*. *A. trappei* forms slightly smaller (42–99 × 42–70 µm) and 1-layered spores. The spore wall of *A. delicata* is also 4-layered but the layers are of different types of which the innermost one stains orange-red in Melzer's reagent. Spores of *A. nicolsonii* are considerably larger (99–198 × 109–218 µm) and have a different wall structure (4-layered with evanescent, laminate, unit, and membranous layers). *A. longula* has 5-layered spore wall, stains light purple in Melzer's reagent, and forms spores at greater distance (100–200 µm) from its hyphal terminus.

Mycorrhizal associations. Unknown.

Material examined


See the type, and J. Błaszkowski 96–136 (isotypes, DPP).

Acaulospora gedanensis Błaszkowski n. sp.

— Figs. 3, 9

Azygosporae singulares in solo efformatae, sessiles; terminacione inflata globosa vel subglobosa, 60–70 µm diam; hypha interjacens spora et terminacionis 50–60 µm. Sporae pallide luteæ vel luteobrunneæ, globosæ vel subglobosæ, (55–) 65 (–75) µm diam. Sporae tunica e stratis quinque; exteriore hyalino, ad 0.5 µm crassum; secundo luteo vel pallido brunneo, laminato, (2.5–) 3.6 (–4.3) µm crasso; tertio ad quinque hyalina, membranacea, ad 0.5 µm crassum. — Holotype: Poland. Gdańsk voiv., Chałupy, about 500 m from the Baltic Sea, under *Festuca ovina* L., 23.VIII.1985 J. Błaszkowski 137 (DPP). I have named this species referring to the voivodeship in which it was noted.

Azygospores. Single in the soil, pale yellow to yellow-brown, globose to subglobose, (55–) 65 (–75) µm in diam, sessile on a hypha tapering to a globose to subglobose swollen hyphal terminus, 60–70 µm in diam; hyphal terminus contents hyaline, terminus wall 0.5 µm thick; distance between the




Figs. 1–4. Micrographs of the Endogonaceae. — 1: *Glomus dominikii*, a crushed spore in Melzer's reagent; the innermost layer is stained dark (x 236). — 2: *Acaulospora polonica*, a crushed spore in lactophenol showing the wall structure (x 559). — 3: *A. gedanensis*, a spore with empty hyphal terminus (x 568). — 4: *A. thomii*, a sporocarp in water (x 109).

hyphal terminus and the spore 50–60 µm; in maturity the terminus empties and collapses.

Spore wall structure. Of five layers (layers 1–5) in two groups (groups A, B). Group A, of a hyaline, sloughing, up to 0.5 µm thick outer layer (layer 1), adhering to a yellow to pale brown, laminate, (2.5–) 3.6 (–4.3) µm thick layer (layer 2). Group B, of three hyaline, separating membranous layers (layers 3–5), each up to 0.5 µm thick.

A. gedanensis is very similar to *A. rugosa* Morton, *A. dilatata* Morton, and *A. lacunosa* Morton (Morton 1986). *A. rugosa* forms brighter (subhyaline to straw-coloured) and slightly larger (49–92–118 µm in diam) spores, their wall contains 5 layers of different types the innermost of which stains dark purple in Melzer's reagent. Spores of *A. dilatata* are larger (78–106–130 µm in diam) and covered with minute pits, have a different wall structure (5-layered



Figs. 5–8. Crushed spores of *Acaulospora thomii*. — 5: With empty hyphal terminus, in polyvinyl alcohol lactophenol (x 132). — 6: In Melzer's reagent, showing the thick hyaline layer 1 adhering to layer 2 and dark-stained innermost layer (x 631). — 7: In polyvinyl alcohol lactophenol, showing the wall structure (x 344). — 8: In Melzer's reagent, with dark-stained vesicular structure (x 652).

in 3 groups) and stain in Melzer's reagent. *A. lacunosa* also produces larger spores (98–131–186 µm in diam) which have a different wall structure (5-layered in 3 groups, the outermost layer is pitted) and stain dark purple in Melzer's reagent.

Mycorrhizal associations. Unknown.

Material examined

See the type, and Błaszkowski 138–154 (isotypes, DPP).

Acaulospora thomii Błaszkowski n. sp.

— Figs. 4–9

Azygosporae singulares in solo efformatae vel in sporocarpiis, 160–520 x 300–700 µm, sine peridio, e sporis duobus ad quinque. Sporae sessiles; terminazione inflata globosa vel subglobosa, (170–) 186 (–210) µm diam; hypha interjacens spora et terminationis (70–) 136 (–250) µm. Sporae fuscae




Fig. 9. Murographs of four new species of the Endogonaceae. The numbers indicate each wall in order from outer to inner wall; the letters indicate wall groups. * = walls very difficult to discern; 0 = wall surface ornamented.

vel nigrae, globosae vel subglobosae, (150–) 185 (–240) µm diam, raro ovoideae, 200 x 240 µm. Sporae tunica e stratis sex vel septem; exteriore hyalino, rigido, (2.5–) 4.4 (–6.5) µm crasso; secundo luteo-brunneo vel brunneo, laminato, (2.5–) 3.3 (–4) µm crasso; tertio hyalino, rigido, 1.3–1.8 µm crasso; quarto ad quinque hyalinum, membranaceum, ad 0.5 µm crassum; sex hyalino, membranaceo, granulato, ad 0.5 µm crassum; septem hyalino, membranaceo, (0.5–) 0.9 (–1.3) µm crasso. — Holotype: Poland. Zielona Góra voiv., Bolesławiec, under *Triticum aestivum*, 17.VIII.1985 J. Błaszkowski 352 (DPP). I have named this species in honour of my son, as a present for his first birthday.

Azygospores. Formed singly in the soil or occasionally in regular or irregular-shaped, small, 160–520 x 300–700 µm sporocarps, without a peridium, with 2–5 spores. Spores dark brown to black in water, olive-brown to brown in lactophenol, globose to subglobose, (150–) 185 (–240) µm in diam, borne laterally on a hypha, 22.5–45 µm wide at the attachment, tapering to a globose to subglobose swollen hyphal terminus, 170–210 µm in diam; hyphal terminus contents hyaline to light yellow; terminus wall 2.5–4.5 µm thick; distance between the hyphal terminus and the spore 70–250 µm; in maturity the terminus empties and collapses.

Spore wall structure. Of six or seven layers (layers 1–7) in three groups (groups A, B, C). Group A, of a hyaline, unit, (2.5–) 4.4 (–6.5) µm

thick outer layer (layer 1), adhering to a yellow-brown to brown, laminate, (2.5–) 3.3 (–4) µm thick layer (layer 2). Group B, of a hyaline, unit, (1.3–) 1.5 (–1.8) µm thick layer (layer 3), and one or two hyaline, up to 0.5 µm thick membranous layers (layers 4, 5). Group C, of a hyaline, membranous, up to 0.5 µm thick layer (layer 6), with 'beaded' appearance, adhering to a hyaline, membranous, (0.5–) 0.9 (–1) µm thick innermost layer (layer 7).

A. thomii closely resembles *A. sporocarpia* Berch (Berch 1985) and *A. laevis* Gerd. & Trappe (Gerde-mann & Trappe 1974). *A. sporocarpia* forms larger sporocarps (2.5 x 1.5 x 1.5 cm) and the spores have a two-layered wall, the outer of which is thinner (2.5–5 µm) than the inner one (7–15 µm). *A. laevis* produces spores singly in the soil and has a three-layered spore wall of which the outer sloughs.

In the sporocarps of *A. thomii* one can sometimes find thin-walled 'vesicle-like' structures (Fig. 8). They stain rapidly in Melzer's reagent, changing from hyaline to orange-pink. Similar structures occur in sporocarps of *A. appendicula* Schenck et al. and *A. sporocarpia*. As discussed by Schenck et al. (1984), these structures seem to be a feature that links species of *Acaulospora* and *Glomus*.

Mycorrhizal associations. Forming vesicular-arbuscular mycorrhizal infections with *Triticum aestivum* and *Zea mays* in the pot culture.

Material examined

See the type, and J. Błaszkowski 353–383 (isotypes, DPP).

References

- Ames, R.N. & Linderman, R.G. 1976: Acaulospora trappei, sp. nov. — Mycotaxon 3: 565–569.
- Berch, S.M. 1985: Acaulospora sporocarpia, a new, sporo-carpic species, and emendation of the genus Acaulospora (Endogonaceae, Zygomycotina). — Mycotaxon 23: 409–418.
- Błaszkowski, J. 1988: Z badań nad występowaniem Endogonaceae w Polsce. — Biul. Lubel. Tow. Nauk. (in press).
- Gerdemann, J.W. & Trappe, J.M. 1974: The Endogonaceae in the Pacific Northwest. — Mycologia Memoirs 5: 1–76.
- Gilmore, A.E. 1968: Phycomycetous mycorrhizal organisms collected by open-pot culture methods. — Hilgardia 39: 87–105.
- Koske, R.E. & Walker, C. 1984: Gigaspora erythropae, a new species forming arbuscular mycorrhizae. — Mycologia 76: 250–255.
- Ławrynowicz, M. 1979: Endogonales, kłebiankowe. — In: Skirgielło, A., Zadara, M. & Ławrynowicz, M., Grzyby 10: 273–295. Warszawa & Kraków.
- Morton, J.B. 1986: Three new species of Acaulospora (Endogonaceae) from high aluminium, low pH soils in West Virginia. — Mycologia 78: 641–648.
- Phillips, J.M. & Hayman, D.S. 1970: Improved procedures for clearing roots and staining parasitic and vesicular-arbuscular mycorrhizal fungi for rapid assessment of infection. — Trans. British Mycol. Soc. 55: 158–161.
- Rose, S.L. & Trappe, J.M. 1980: Three new endomycorrhizal Glomus spp. associated with actinorrhizal shrubs. — Mycotaxon 10: 413–420.
- Schenck, N.C., Spain, J.L., Sieverding, E. & Howeler, R.H. 1984: Several new and unreported vesicular-arbuscular mycorrhizal fungi (Endogonaceae) from Colombia. — Mycologia 76: 685–699.
- Walker, C. 1979: The mycorrhizast and the herbarium: the preservation of specimens from VA mycorrhizal studies. — In: Program and Abstracts, 4th North American Conference on Mycorrhiza, June 24–28, 1979, Colorado State Univ., p. 117 (unnumbered). Mimeo. Fort Collins, Colorado.
- 1983: Taxonomic concepts in the Endogonaceae: spore wall characteristics in species descriptions. — Mycotaxon 18: 443–455.
- 1985: Taxonomic concepts in the Endogonaceae 2. A fifth morphological wall type in endogonaceous spores. — Mycotaxon 25: 95–99.
- Walker, C., Reed, L.E. & Sanders, F.E. 1984: Acaulospora nicolsonii, a new endogonaceous species from Great Britain. — Trans. British Mycol. Soc. 83: 360–364.
- Walker, C., Pfeiffer, C.M. & Bloos, H.E. 1986: Acaulospora delicata sp. nov. — an endomycorrhizal fungus from Arizona. — Mycotaxon 25: 621–628.

Accepted for publication
on 25 August 1987